

EAST Search History

10/539,977
3/3/08
JN

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("20060170638").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/27 09:23
S2	3	((("5352937") or ("6384817") or ("5166671"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 10:19
S4	2	((("20020014906") or ("5572211"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 10:28
S5	34	wu-xiao.xa,xp. AND ramp	US-PGPUB; USPAT	OR	ON	2008/02/29 12:42
S6	231415	((("345") or ("326") or ("327") or ("307"))).CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 12:52
S7	9561	(345/100,76-83,211,204).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 12:53
S8	75185	("345").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 12:53
S9	128	S6 AND ((amplifier near output) with ((shut adj down) disable dissable disconnect tristate (tri adj state) (three adj state)))	US-PGPUB; USPAT	OR	ON	2008/02/29 13:34
S11	266	S6 AND ((amplifier near output) with ((shut\$4 adj down) disabl\$3 dissabl\$3 disconnect\$3 tristat\$3 (tri adj stat\$3) (three adj stat\$3)))	US-PGPUB; USPAT	OR	ON	2008/02/29 13:41
S12	2434	S6 AND (((amplifier near output) driver) near3 ((shut\$4 adj down) disabl\$3 dissabl\$3 disconnect\$3 tristat\$3 (tri adj stat\$3) (three adj stat\$3)))	US-PGPUB; USPAT	OR	ON	2008/02/29 13:44
S13	120	S6 AND (((amplifier near output)) near3 ((shut\$4 adj down) disabl\$3 dissabl\$3 disconnect\$3 tristat\$3 (tri adj stat\$3) (three adj stat\$3)))	US-PGPUB; USPAT	OR	ON	2008/02/29 13:44
S14	3341	S6 AND ((amplifier output driver buffer stage) near2 ((shut\$4 adj down) disabl\$3 dissabl\$3 disconnect\$3 tristat\$3 (tri adj stat\$3) (three adj stat\$3))) AND (amplifier buffer driver).ti,ab.	US-PGPUB; USPAT	OR	ON	2008/02/29 13:58

EAST Search History

S15	388	S6 AND ((amplifier output driver buffer stage) near2 ((shut\$4 adj down) disabl\$3 dissabl\$3 disconnect\$3 tristat\$3 (tri adj stat\$3) (three adj stat\$3))) AND (amplifier buffer driver).ti,ab. AND ((totem adj pole) totempole (push adj pull) pushpull (transistor near (series adj (connected coupled))))	US-PGPUB; USPAT	OR	ON	2008/02/29 14:07
S16	38	S6 AND (((amplifier output driver buffer stage) near2 ((shut\$4 adj down) disabl\$3 dissabl\$3 disconnect\$3 tristat\$3 (tri adj stat\$3) (three adj stat\$3))) WITH ((totem adj pole) totempole (push adj pull) pushpull (transistor near (series adj (connected coupled)))) AND (amplifier buffer driver).ti,ab.	US-PGPUB; USPAT	OR	ON	2008/02/29 14:15
S17	67	S6 AND (((amplifier output driver buffer stage) near2 ((shut\$4 adj down) disabl\$3 dissabl\$3 disconnect\$3 tristat\$3 (tri adj stat\$3) (three adj stat\$3))) WITH ((totem adj pole) totempole (push adj pull) pushpull (transistor near (series adj (connected coupled))))	US-PGPUB; USPAT	OR	ON	2008/02/29 14:16
S18	1	("4839540").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 14:30
S19	8	((linear adj (amplifier output driver buffer stage)) and ((shut\$4 adj down) disabl\$3 dissabl\$3 disconnect\$3 tristat\$3 (tri adj stat\$3) (three adj stat\$3))).ti,ab.	US-PGPUB; USPAT	OR	ON	2008/02/29 14:45
S21	38	((linear adj (amplifier output driver buffer stage)) with ((shut\$4 adj down) disabl\$3 dissabl\$3 disconnect\$3 tristat\$3 (tri adj stat\$3) (three adj stat\$3)))	US-PGPUB; USPAT	OR	ON	2008/02/29 15:38
S22	1	("5568062").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 06:43
S23	231415	((("345") or ("326") or ("327") or ("307"))).CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 07:10
S24	1	S23 AND (single adj supply AND (opamp op adj amp amplifier)).ti.	US-PGPUB; USPAT	OR	ON	2008/03/03 07:10
S25	24	S23 AND (analog adj (opamp op adj amp amplifier buffer)).ti.	US-PGPUB; USPAT	OR	ON	2008/03/03 07:11

EAST Search History

S26	1	("7098904").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 07:19
S27	892	S23 AND (feedback near (switch gate transmission))	US-PGPUB; USPAT	OR	ON	2008/03/03 09:06
S28	92	S23 AND (feedback near (disconnect interrupt break))	US-PGPUB; USPAT	OR	ON	2008/03/03 09:07
S29	10	S27 AND S28	US-PGPUB; USPAT	OR	ON	2008/03/03 09:07